UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/567,743	08/21/2007	Gyula Vigh		5360
Gyula Vigh 3369 Tamu College Station	7590 09/27/201	0	EXAM	IINER
	TV 77040		BALL, JOHN C	
College Station	, 1A //640		ART UNIT	PAPER NUMBER
			1795	
			MAIL DATE	DELIVERY MODE
			09/27/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)			
	10/567,743	VIGH ET AL.			
Office Action Summary	Examiner	Art Unit			
	J. CHRISTOPHER BALL	1795			
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING D/ Extensions of time may be available under the provisions of 37 CFR 1.1: after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period v Failure to reply within the set or extended period for reply will, by statute. Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be timused and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	Lely filed the mailing date of this communication. (35 U.S.C. § 133).			
Status					
Responsive to communication(s) filed on <u>21 At 2a</u> This action is FINAL . 2b) This action is FINAL . 2b) This action is in condition for allower closed in accordance with the practice under E	action is non-final. nce except for formal matters, pro	secution as to the merits is			
Disposition of Claims					
4) Claim(s) 1-5,7-25 and 27 is/are pending in the 4a) Of the above claim(s) is/are withdray 5) Claim(s) is/are allowed. 6) Claim(s) 1-5,7-25 and 27 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/o Application Papers 9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) acceed applicant may not request that any objection to the Replacement drawing sheet(s) including the correct	wn from consideration. r election requirement. r. epted or b) □ objected to by the Edrawing(s) be held in abeyance. See	e 37 CFR 1.85(a).			
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 04/25/2006.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	ite			

Art Unit: 1795

DETAILED ACTION

Summary

- This is the initial Office Action based on the VIGH et al. application filed under the Patent Cooperation Treaty on August 13, 2004, and presently a National Stage Application.
- 2. Claims 1-5, 7-25, and 27 are currently pending and have been fully considered.
- 3. The preliminary amendment filed with the Office on February 10, 2006, is acknowledged and has been entered.

Claim Rejections - 35 USC § 102

- 4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:
 - A person shall be entitled to a patent unless -
 - (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 5. Claims 1-4, 7-11, 13, and 21-25 are rejected under 35 U.S.C. 102(b) as being anticipated by an article by OXFORD et al. ("Effect of Chelated Metal on Amino Acid Transport in Facilitated Transport Membranes Incorporating Metal Affinity", POLYMERIC MATERIALS SCIENCE AND ENGINEERING, vol. 77, 1997, p. 273-274), submitted to the Office on an Information Disclosure Statement.

Application/Control Number: 10/567,743

Art Unit: 1795

Regarding claim 1, OXFORD teaches a hydrolytically stable isoelectric hydrogel material formed by mixing and/or reacting a mixture comprising:

a polyhydroxy compound, in the form of poly(vinyl alcohol) (first paragraph, "Membrane Preparation and Functionalization" section, p. 273);

a single isoelectric compound having a pl value from 1 to 12, in the form of an iminodiactetic acid (third paragraph, "I. Introduction" section, p. 273); and a difunctional agent, in the form of 1,4-butanediol diglycidyl ether (first paragraph, "Membrane Preparation and Functionalization" section, p. 273), whereby after the mixing and/or reacting, the hydrolytically stable isoelectric hydrogel material formed inherently becomes an ampholytic material.

Page 3

Regarding claim 2, OXFORD teaches the hydrolytically stable isoelectric hydrogel material has a pl value which does not substantially change when the amount of the isoelectric compound mixed and/or reacted is altered, in that iminodiactetic acid has an intrinsic pl value that would be imparted to the hydrolytically stable isoelectric hydrogel material and is present in excess of that required to establish the pH of the hydrogel substantially equal to said pl (first paragraph, "Membrane Preparation and Functionalization" section, p. 273).

Regarding claims 3 and 4, OXFORD teaches the single isoelectric compound is iminodiacetic acid (third paragraph, "I. Introduction" section, p. 273).

Art Unit: 1795

Regarding claim 7, OXFORD teaches the difunctional agent consists of diepoxide, in the form of 1,4-butanediol diglycidyl ether (first paragraph, "Membrane Preparation and Functionalization" section, p. 273).

Regarding claim 8, OXFORD teaches a hydrolytically stable isoelectric hydrogel material formed by mixing and/or reacting a mixture comprising: an isoelectric compound having a pl value from 1 to 12, in the form of an iminodiactetic acid (third paragraph, "I. Introduction" section, p. 273); and a polymer scaffold, in the form of poly(vinyl alcohol) (first paragraph, "Membrane Preparation and Functionalization" section, p. 273),

wherein the hydrolytically stable isoelectric hydrogel material form thereby can be turned into a membrane (first paragraph, "Membrane Preparation and Functionalization" section, p. 273),

whereby after the mixing and/or reacting, the hydrolytically stable isoelectric hydrogel material formed inherently becomes an ampholytic material.

Regarding claim 9, OXFORD teaches the hydrolytically stable isoelectric hydrogel material has a pl value which does not substantially change when the amount of the isoelectric compound mixed and/or reacted is altered, in that iminodiactetic acid has an intrinsic pl value that would be imparted to the hydrolytically stable isoelectric hydrogel material and is present in excess of that

required to establish the pH of the hydrogel substantially equal to said pl (first paragraph, "Membrane Preparation and Functionalization" section, p. 273).

Page 5

Regarding claims 10 and 11, OXFORD teaches the single isoelectric compound is iminodiacetic acid (third paragraph, "I. Introduction" section, p. 273).

Regarding claim 13, OXFORD teaches the polymer scaffold consists of poly(vinyl alcohol) (first paragraph, "Membrane Preparation and Functionalization" section, p. 273).

Regarding claims 21 and 22, OXFORD teaches a hydrolytically stable hydrogel membrane comprising the hydrolytically stable isoelectric material outline in the rejection of claim 1 above (first paragraph, "Membrane Preparation and Functionalization" section, p. 273) supported on a crosslinkable poly(vinyl alcohol) membrane (first paragraph, "Membrane Preparation and Functionalization" section, p. 273).

Regarding claim 23, OXFORD teaches a method of forming a hydrolytically stable isoelectric hydrogel material formed by mixing and/or reacting a mixture comprising:

a polyhydroxy compound, in the form of poly(vinyl alcohol) (first paragraph, "Membrane Preparation and Functionalization" section, p. 273); Application/Control Number: 10/567,743

Art Unit: 1795

a single isoelectric compound having a pl value from 1 to 12, in the form of an iminodiactetic acid (third paragraph, "I. Introduction" section, p. 273); and a difunctional agent, in the form of 1,4-butanediol diglycidyl ether (first

Page 6

a difunctional agent, in the form of 1,4-butanediol diglycidyl ether (first paragraph, "Membrane Preparation and Functionalization" section, p. 273), whereby after the mixing and/or reacting, the hydrolytically stable isoelectric hydrogel material formed inherently becomes an ampholytic material.

Regarding claim 24, OXFORD teaches a method of forming a hydrolytically stable isoelectric hydrogel material formed by mixing and/or reacting a mixture comprising:

an isoelectric compound having a pI value from 1 to 12, in the form of an iminodiactetic acid (third paragraph, "I. Introduction" section, p. 273); and a polymer scaffold, in the form of poly(vinyl alcohol) (first paragraph, "Membrane Preparation and Functionalization" section, p. 273),

wherein the hydrolytically stable isoelectric hydrogel material form thereby can be turned into a membrane (first paragraph, "Membrane Preparation and Functionalization" section, p. 273),

whereby after the mixing and/or reacting, the hydrolytically stable isoelectric hydrogel material formed inherently becomes an ampholytic material.

Regarding claim 25, OXFORD teaches a method of forming a hydrolytically stable hydrogel membrane comprising the hydrolytically stable

Art Unit: 1795

isoelectric material outline in the rejection of claim 1 above (first paragraph, "Membrane Preparation and Functionalization" section, p. 273) supported on a crosslinkable poly(vinyl alcohol) membrane (first paragraph, "Membrane Preparation and Functionalization" section, p. 273).

Claim Rejections - 35 USC § 103

- 6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 7. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.
 - 2. Ascertaining the differences between the prior art and the claims at issue.
 - 3. Resolving the level of ordinary skill in the pertinent art.
 - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 8. Claims 14 and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over an article by OXFORD et al. ("Effect of Chelated Metal on Amino Acid Transport in Facilitated Transport Membranes Incorporating Metal Affinity",

POLYMERIC MATERIALS SCIENCE AND ENGINEERING, vol. 77, 1997, p. 273-274), submitted to the Office on an Information Disclosure Statement.

Regarding claims 14 and 17, OXFORD teaches the hydrolytically stable isoelectric material is formed by reacting iminodiacetic acid, poly(vinyl alcohol), and 1,4-butanediol diglycidyl ether in the presence of NaOH (first paragraph, "Membrane Preparation and Functionalization" section, p. 273).

OXFORD does not explicitly teach either glycerol diglycidyl ether or poly(ethylene glycol) diglycidyl ether.

However, both glycerol diglycidyl ether and poly(ethylene glycol) diglycidyl ether are homologous compounds to 1,4-butanediol diglycidyl ether, and it would have been obvious to one of ordinary skill in the art expect success when substituting either glycerol diglycidyl ether and poly(ethylene glycol) diglycidyl ether for 1,4-butanediol diglycidyl ether in the composition of the hydrolytically stable isoelectric material (KSR International Co. v. Teleflex Inc., 127 S. Ct. 1727, 82 USPQ2d 1385 (2007)).

 Claims 5, 12, 15, 16, and 18-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over an article by OXFORD et al. ("Effect of Chelated Metal on Amino Acid Transport in Facilitated Transport Membranes Incorporating Metal Affinity", POLYMERIC MATERIALS SCIENCE AND ENGINEERING, vol. 77, 1997, p. 273-274) in view of RATNER et al. (WO 03/059965 A1), both submitted to the Office on an Information Disclosure Statement.

Regarding claims 5 and 12, OXFORD teaches the limitations of claims 1 and 8, as outlined above. OXFORD teaches the isoelectric compound is iminodiactetic acid (third paragraph, "I. Introduction" section, p. 273).

OXFORD does not teach the isoelectric compound is selected from the group consisting of diaminocarboxylic acids, diaminophenols, diaminophosphonic acids, oligoaminocarboxylic acids, oligoaminophenols, oligoaminophosphonic, and compounds containing combinations of the functional groups thereof.

However, RATNER discloses hydrogels, wherein is taught a hydrogel containing an isoelectric compound in the form of tryptophan (p. 6, lines 29-32), which is a diaminocarboxylic acid compound.

At the time of the present invention, it would have been obvious is that the substitution of one known isoelectric compound element, tryptophan, for another isoelectric compound, iminodiactetic acid, yields predictable results to one of ordinary skill in the art (KSR International Co. v. Teleflex Inc., 127 S. Ct. 1727, 82 USPQ2d 1385 (2007)).

Regarding claims 15 and 18, OXFORD teaches the limitations of claim 8, as outlined above. Additionally, OXFORD teaches the hydrolytically stable isoelectric material is formed by reacting iminodiacetic acid, poly(vinyl alcohol),

Art Unit: 1795

and 1,4-butanediol diglycidyl ether in the presence of NaOH(first paragraph, "Membrane Preparation and Functionalization" section, p. 273).

OXFORD does not explicitly teach either glycerol diglycidyl ether or poly(ethylene glycol) diglycidyl ether.

However, both glycerol diglycidyl ether and poly(ethylene glycol) diglycidyl ether are homologous compounds to 1,4-butanediol diglycidyl ether, and it would have been obvious to one of ordinary skill in the art expect success when substituting either glycerol diglycidyl ether and poly(ethylene glycol) diglycidyl ether for 1,4-butanediol diglycidyl ether in the composition of the hydrolytically stable isoelectric material (KSR International Co. v. Teleflex Inc., 127 S. Ct. 1727, 82 USPQ2d 1385 (2007)).

OXFORD does not explicitly teach the isoelectric compound is aspartic acid.

However, RATNER discloses hydrogels, wherein is taught a hydrogel containing an isoelectric compound in the form of aspartic acid (p. 6, lines 29-32).

At the time of the present invention, it would have been obvious is that the substitution of one known isoelectric compound element, aspartic acid, for another isoelectric compound, iminodiactetic acid, yields predictable results to one of ordinary skill in the art (KSR International Co. v. Teleflex Inc., 127 S. Ct. 1727, 82 USPQ2d 1385 (2007)).

Regarding claims 16 and 19, OXFORD teaches the limitations of claim 8, as outlined above. Additionally, OXFORD teaches the hydrolytically stable isoelectric material is formed by reacting iminodiacetic acid, poly(vinyl alcohol), and 1,4-butanediol diglycidyl ether in the presence of NaOH(first paragraph, "Membrane Preparation and Functionalization" section, p. 273).

OXFORD does not explicitly teach either glycerol diglycidyl ether or poly(ethylene glycol) diglycidyl ether.

However, both glycerol diglycidyl ether and poly(ethylene glycol) diglycidyl ether are homologous compounds to 1,4-butanediol diglycidyl ether, and it would have been obvious to one of ordinary skill in the art expect success when substituting either glycerol diglycidyl ether and poly(ethylene glycol) diglycidyl ether for 1,4-butanediol diglycidyl ether in the composition of the hydrolytically stable isoelectric material (KSR International Co. v. Teleflex Inc., 127 S. Ct. 1727, 82 USPQ2d 1385 (2007)).

OXFORD does not explicitly teach the isoelectric compound is glutamic acid.

However, RATNER discloses hydrogels, wherein is taught a hydrogel containing an isoelectric compound in the form of glutamic acid (p. 6, lines 29-32).

At the time of the present invention, it would have been obvious is that the substitution of one known isoelectric compound element, glutamic acid, for another isoelectric compound, iminodiactetic acid, yields predictable

results to one of ordinary skill in the art (KSR International Co. v. Teleflex Inc., 127 S. Ct. 1727, 82 USPQ2d 1385 (2007)).

Regarding claim 20, OXFORD teaches the limitations of claim 8, as outlined above. Additionally, OXFORD teaches the hydrolytically stable isoelectric material is formed by reacting iminodiacetic acid, poly(vinyl alcohol), and 1,4-butanediol diglycidyl ether in the presence of NaOH(first paragraph, "Membrane Preparation and Functionalization" section, p. 273).

OXFORD does not explicitly teach either glycerol diglycidyl ether.

However, glycerol diglycidyl ether is a homologous compound to 1,4-butanediol diglycidyl ether, and it would have been obvious to one of ordinary skill in the art expect success when substituting glycerol diglycidyl ether for 1,4-butanediol diglycidyl ether in the composition of the hydrolytically stable isoelectric material (KSR International Co. v. Teleflex Inc., 127 S. Ct. 1727, 82 USPQ2d 1385 (2007)).

OXFORD does not explicitly teach the isoelectric compound is lysing.

However, RATNER discloses hydrogels, wherein is taught a hydrogel containing an isoelectric compound in the form of lysing (p. 6, lines 29-32).

At the time of the present invention, it would have been obvious is that the substitution of one known isoelectric compound element, lysing, for another isoelectric compound, iminodiactetic acid, yields predictable results to

one of ordinary skill in the art (KSR International Co. v. Teleflex Inc., 127 S. Ct. 1727, 82 USPQ2d 1385 (2007)).

10. Claim 27 is rejected under 35 U.S.C. 103(a) as being unpatentable over an article by OXFORD et al. ("Effect of Chelated Metal on Amino Acid Transport in Facilitated Transport Membranes Incorporating Metal Affinity", POLYMERIC MATERIALS SCIENCE AND ENGINEERING, vol. 77, 1997, p. 273-274), submitted to the Office on an Information Disclosure Statement, in view of LINDER et al. (US 5,430,099).

Regarding claim 27, OXFORD teaches a hydrolytically stable hydrogel membrane comprising a hydrolytically stable isoelectric material.

OXFORD does not teach a method of separating compounds by electrophoresis wherein the compound are introduced into a membrane-based electrophoresis apparatus.

However, LINDER discloses gels and membranes for isoelectric focusing, wherein is taught a membrane-based electrophoresis apparatus for separation of compounds (Figure 1; Col. 12, lines 11-14).

At the time of the present invention, it would have been obvious to one of ordinary skill in the art to combine the hydrolytically stable hydrogel membrane as taught by OXFORD with the membrane-based electrophoresis apparatus for

Art Unit: 1795

separation of compounds as taught by LINDER because the membrane have a very narrow pH interval, so that identical membranes can be prepared (LINDER, Col. 12, lines 40-48), which is an advantage over IEF slab gels.

Conclusion

11. Any inquiry concerning this communication or earlier communications from the examiner should be directed to J. CHRISTOPHER BALL whose telephone number is (571)270-5119. The examiner can normally be reached on Monday through Thursday, 9 am to 5 pm Eastern.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nam Nguyen can be reached on (571) 272-1342. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1795

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Nam X Nguyen/ Supervisory Patent Examiner, Art Unit 1753

JCB 09/23/2010